



STUDYDADDY

**Get Homework Help
From Expert Tutor**

Get Help

References

1. *KU Tertiary oil recovery program - wax deposition*. [cited 2016 September]; Available from: <https://torp.ku.edu/research/wax-deposition/>.
2. Webb, E.B., C.A. Koh, and M.W. Liberatore, *Rheological properties of methane hydrate slurries formed from AOT + water + oil microemulsions*. *Langmuir*, 2013. **29**(35): p. 10997-1004. <http://dx.doi.org/10.1021/la4022432>.
3. Crawford, N.C., S.K. Williams, D. Boldridge, and M.W. Liberatore, *Shear-induced structures and thickening in fumed silica slurries*. *Langmuir*, 2013. **29**(42): p. 12915-23. <http://dx.doi.org/10.1021/la402631p>.
4. Liberatore, M.W., N.B. Wyatt, M. Henry, P.L. Dubin, and E. Foun, *Shear-induced phase separation in polyelectrolyte/mixed micelle coacervates*. *Langmuir*, 2009. **25**(23): p. 13376-83. <http://dx.doi.org/10.1021/la903260r>.
5. Schubert, B.A., N.J. Wagner, E.W. Kaler, and S.R. Raghavan, *Shear-induced phase separation in solutions of wormlike micelles*. *Langmuir*, 2004. **20**(9): p. 3564-3573. <http://dx.doi.org/DOI 10.1021/la035810d>.
6. Sloan, E.D. and C.A. Koh, *Clathrate Hydrates of Natural Gases*. 3rd ed2007: CRC Press.
7. Sloan, E.D., C.A. Koh, and A.K. Sum, *Natural Gas Hydrates in Flow Assurance*. 1st ed2010: Gulf Professional Publishing.
8. Oyeneyin, B., *Integrated Sand Management For Effective Hydrocarbon Flow Assurance*. Vol. 63. 2015: Newnes.
9. Webb, E.B., C.A. Koh, and M.W. Liberatore, *High Pressure Rheology of Hydrate Slurries Formed from Water-in-Mineral Oil Emulsions*. *Industrial & Engineering Chemistry Research*, 2014. **53**(17): p. 6998-7007. <http://dx.doi.org/10.1021/ie5008954>.

10. Webb, E.B., P.J. Rensing, C.A. Koh, E.D. Sloan, A.K. Sum, and M.W. Liberatore, *High pressure rheometer for in situ formation and characterization of methane hydrates*. Rev Sci Instrum, 2012. **83**(1): p. 015106. <http://dx.doi.org/10.1063/1.3675889>.
11. Webb, E.B., P.J. Rensing, C.A. Koh, E.D. Sloan, A.K. Sum, and M.W. Liberatore, *High-Pressure Rheology of Hydrate Slurries Formed from Water-in-Oil Emulsions*. Energy & Fuels, 2012. **26**(6): p. 3504-3509. <http://dx.doi.org/10.1021/ef300163y>.
12. Larson, R.G., *The Structure and Rheology of Complex Fluids*. 1999, Oxford, U.K.: Oxford University Press.
13. Larson, R.G., *Flow-Induced Mixing, Demixing, and Phase-Transitions in Polymeric Fluids*. Rheologica Acta, 1992. **31**(6): p. 497-520. <http://dx.doi.org/Doi.10.1007/Bf00367006>.
14. Liberatore, M.W., F. Nettesheim, P.A. Vasquez, M.E. Helgeson, N.J. Wagner, E.W. Kaler, L.P. Cook, L. Porcar, and Y.T. Hu, *Microstructure and shear rheology of entangled wormlike micelles in solution*. Journal of Rheology, 2009. **53**(2): p. 441-458. <http://dx.doi.org/10.1122/1.3072077>.
15. Liberatore, M.W., F. Nettesheim, N.J. Wagner, and L. Porcar, *Spatially resolved small-angle neutron scattering in the 1-2 plane: a study of shear-induced phase-separating wormlike micelles*. Phys Rev E Stat Nonlin Soft Matter Phys, 2006. **73**(2 Pt 1): p. 020504. <http://dx.doi.org/10.1103/PhysRevE.73.020504>.
16. Brennen, C.E., *Fundamentals of multiphase flow*. 2005: Cambridge university press.
17. Balachandar, S. and J.K. Eaton, *Turbulent dispersed multiphase flow*. Annual Review of Fluid Mechanics, 2010. **42**: p. 111-133.

18. Gidaspow, D., *Multiphase flow and fluidization: continuum and kinetic theory descriptions*. 1994: Academic press.
19. Huang, Z., S. Zheng, and H.S. Fogler, *Wax Deposition: Experimental Characterizations, Theoretical Modeling, and Field Practices*. 2016.
20. Zheng, S. and H.S. Fogler, *Fundamental Investigation of Wax Diffusion Characteristics in Water-in-Oil Emulsion*. *Industrial & Engineering Chemistry Research*, 2015. **54**(16): p. 4420-4428. <http://dx.doi.org/10.1021/ie501955e>.
21. Wardhaugh, L.T. and D.V. Boger, *The Measurement and Description of the Yielding Behavior of Waxy Crude-Oil*. *Journal of Rheology*, 1991. **35**(6): p. 1121-1156. <http://dx.doi.org/Doi> 10.1122/1.550168.
22. Wardhaugh, L.T. and D.V. Boger, *Flow Characteristics of Waxy Crude Oils - Application to Pipeline Design*. *Aiche Journal*, 1991. **37**(6): p. 871-885. <http://dx.doi.org/DOI> 10.1002/aic.690370610.
23. de Oliveira, M.r.C.K., R.r.M. Carvalho, A.B. Carvalho, B.C. Couto, F.t.R.D. Faria, and R.L.P. Cardoso, *Waxy Crude Oil Emulsion Gel: Impact on Flow Assurance*. *Energy & Fuels*, 2010. **24**(4): p. 2287-2293. <http://dx.doi.org/10.1021/ef900927g>.
24. Japper-Jaafar, A., P.T. Bhaskoro, L.L. Sean, M.Z. Sariman, and H. Nugroho, *Yield stress measurement of gelled waxy crude oil: Gap size requirement*. *Journal of Non-Newtonian Fluid Mechanics*, 2015. **218**: p. 71-82. <http://dx.doi.org/10.1016/j.jnnfm.2015.02.001>.
25. Mendes, R., G. Vinay, G. Ovarlez, and P. Coussot, *Modeling the rheological behavior of waxy crude oils as a function of flow and temperature history*. *Journal of Rheology*, 2015. **59**(3): p. 703-732. <http://dx.doi.org/10.1122/1.4916531>.

26. Palermo, T. and E. Tournis, *Viscosity Prediction of Waxy Oils: Suspension of Fractal Aggregates (SoFA) Model*. Industrial & Engineering Chemistry Research, 2015. **54**(16): p. 4526-4534. <http://dx.doi.org/10.1021/ie504166n>.
27. Tarcha, B.A., B.P. P. Forte, E.J. Soares, and R.L. Thompson, *Critical quantities on the yielding process of waxy crude oils*. Rheologica Acta, 2015. **54**(6): p. 479-499. <http://dx.doi.org/10.1007/s00397-015-0835-1>.
28. Van Der Geest, C., V.C.B. Guersoni, D. Merino-Garcia, and A.C. Bannwart, *A modified elasto-viscoplastic thixotropic model for two commercial gelled waxy crude oils*. Rheologica Acta, 2015. **54**(6): p. 545-561. <http://dx.doi.org/10.1007/s00397-015-0849-8>.
29. Cabanillas, J.P., A.T. Leiroz, and L.F.A. Azevedo, *Wax Deposition in the Presence of Suspended Crystals*. Energy & Fuels, 2016. **30**(1): p. 1-11. <http://dx.doi.org/10.1021/acs.energyfuels.5b02344>.
30. Dimitriou, C.J. and G.H. McKinley, *A comprehensive constitutive law for waxy crude oil: a thixotropic yield stress fluid*. Soft Matter, 2014. **10**(35): p. 6619-44. <http://dx.doi.org/10.1039/c4sm00578c>.
31. Charin, R.M., G. Salathe, M. Nele, and F.W. Tavares, *Influence of Commercial Anti-agglomerants and Ammonium Quaternary Compounds on the Stability of Waxy Crude Oil Emulsion*. Energy & Fuels, 2015. **29**(4): p. 2211-2218. <http://dx.doi.org/10.1021/ef502815x>.
32. Al-Sabagh, A.M., M.A. Betiha, D.I. Osman, A.I. Hashim, M.M. El-Sukkary, and T. Mahmoud, *Preparation and Evaluation of Poly(methyl methacrylate)-Graphene Oxide Nanohybrid Polymers as Pour Point Depressants and Flow Improvers for Waxy Crude*

Oil. Energy & Fuels, 2016. **30**(9): p. 7610-7621.

<http://dx.doi.org/10.1021/acs.energyfuels.6b01105>.

33. Norrman, J., A. Solberg, J. Sjöblom, and K. Paso, *Nanoparticles for Waxy Crudes: Effect of Polymer Coverage and the Effect on Wax Crystallization*. *Energy & Fuels*, 2016. **30**(6): p. 5108-5114. <http://dx.doi.org/10.1021/acs.energyfuels.6b00286>.
34. Bazyleva, A., B. Akeredolu, and M.W. Liberatore, *Viscosity of Alaska Heavy Oil Saturated with Methane*. *Energy & Fuels*, 2013. **27**(2): p. 743-751. <http://dx.doi.org/10.1021/ef301757v>.
35. Dimitriou, C.J., G.H. McKinley, and R. Venkatesan, *Rheo-PIV Analysis of the Yielding and Flow of Model Waxy Crude Oils*. *Energy & Fuels*, 2011. **25**(7): p. 3040-3052. <http://dx.doi.org/10.1021/ef2002348>.
36. Iqbal, M.Z., A.A. Abdala, and M.W. Liberatore, *Synthesis and characterization of polyethylene/oxidized polyethylene miscible blends and role of OPE as a viscosity control*. *Journal of Applied Polymer Science*, 2016. **133**(28). <http://dx.doi.org/ARTN43521>
10.1002/app.43521.
37. Colby, R.H., *Structure and linear viscoelasticity of flexible polymer solutions: comparison of polyelectrolyte and neutral polymer solutions*. *Rheologica Acta*, 2009. **49**(5): p. 425-442. <http://dx.doi.org/10.1007/s00397-009-0413-5>.
38. Vlachogiannis, M. and T.J. Hanratty, *Influence of wavy structured surfaces and large scale polymer structures on drag reduction*. *Experiments in Fluids*, 2004. **36**: p. 685-700.



STUDYDADDY

Get Homework Help From Expert Tutor

[Get Help](#)